


CORE	C OF G	WEIGHT (KG)
G	662	1780
H	672	1850

DISC COUPLING					
SAE NO	AN	AR	AS	AT	V
14	25.4	8	∅13.5	438.1	∅466.67
18	15.87	6	∅16.7	543	∅571.45

REL NO	REV	NO	REVISION	DWN	CKD	APVD	DATE
ECO-178649	A	1	PRODUCTION RELEASE	SAU	DGL	K.WEJRZANOWSKI	16 JUL 18

NOTES:  
 1. CUSTOMER MAY CUT CABLE ENTRY HOLES AS REQUIRED IN ANY OF THE FOUR TERMINAL BOX SIDES SUBJECT TO POSITION OF AVR, TERMINAL, ETC



UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS	SIM TO A056V152	DWN S.UGALE		CUMMINS GENERATOR TECHNOLOGIES	
	DO NOT SCALE PRINT	CKD D.LEE		DRAWING, GENERAL ASSEMBLY	
SCALE 0.150		APVD K.WEJRZANOWSKI	SITE CODE	S5L1D G/H 1B SAE 0.5-14/18 STD FOOT & T/B	
THIS DOCUMENT (AND THE INFORMATION SHOWN THEREON) IS CONFIDENTIAL AND PROPRIETARY AND SHALL NOT BE DISCLOSED TO OTHERS IN HARD COPY OR ELECTRONIC FORM, REPRODUCED BY ANY MEANS, OR USED FOR ANY PURPOSE WITHOUT WRITTEN CONSENT OF CUMMINS INC.	DATE 16 JUL 18	FIRST USED ON S5	STA	DWG SIZE A2	A060Z454
	FOR INTERPRETATION OF DIMENSIONING AND TOLERANCING, SEE ASME Y14.5-2009				CAD SHEET 1 of 1