

CORE	C OF G
F	620


REL NO	REV	NO
ECO-184160	E	1

DETAILS
TITLE BLOCK, ADDITIONAL DESCRIPTION, ADD S5


DWN	CKD	APVD	DATE
TVK	DGL	K.WEJRZANOWSKI	26FEB19

NOTE: -

- CUSTOMER MAY CUT CABLE ENTRY HOLES AS REQUIRED IN ANY OF THE FOUR TERMINAL BOX SIDES SUBJECT TO POSITION OF AVR, TERMINALS, ETC.



6-HOLES IN COUPLING Ø16.7 EQUI-SPACED ON 543 PCD




UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS

SIM TO -

DO NOT SCALE PRINT

SCALE 1:10



THIS DOCUMENT (AND THE INFORMATION SHOWN THEREON) IS CONFIDENTIAL AND PROPRIETARY AND SHALL NOT BE DISCLOSED TO OTHERS IN HARD COPY OR ELECTRONIC FORM, REPRODUCED BY ANY MEANS, OR USED FOR ANY PURPOSE WITHOUT WRITTEN CONSENT OF CUMMINS INC.

DRAWN	S.MCLEAN
CHECKED	S.MCLEAN
APPROVED	C.RAWLINGS
DATE	27JUL00

SITE CODE

CUMMINS GENERATOR TECHNOLOGIES
DRAWING, GENERAL ASSEMBLY
HC5/S5 F 1-BRG SAE00/18 STANDARD T/BOX

FOR INTERPRETATION OF DIMENSIONING AND TOLERANCING, SEE ASME Y14.5-2009	FIRST USED ON HC5
---	----------------------

STA

DWG SIZE A4

52-4660

CAD SHEET 1 of 1
