



Type	A	B	C
c/4	630	292	1298
d/4	680	242	1323
e/4	740	182	1353

Weight and inertia tolerance +/- 5%

Nr.	Benennung/ denom.	DIG 142 c/4		DIG 142 d/4		DIG 142 e/4	
		J	Gew./ weight	J	Gew./ weight	J	Gew./ weight
1	Welle/ shaft	2,5	517 kg	2,5	517 kg	2,5	517 kg
2	Polrad/ main field	136,0	1971 kg	148,0	2106 kg	160,0	2267 kg
3	Erreger/ exciter	2,2	89 kg	2,2	89 kg	2,2	89 kg
4	Ventilator/ fan	12,3	165 kg	12,3	165 kg	12,3	165 kg
5							
Gesamt/ total		153 kgm ²	2742 Kg	165 kgm ²	2877 Kg	177 kgm ²	3038 Kg

Project-/Order-Nr.:

ROTOR

DIG 142 c-d-e/4

DIM. IN MILLIMETERS
(MM) AT 20°C [68°F]

AvK

PROJECTION



FINISH SPEC -

GEOMETRY SPEC -

WEIGHT = -

DRAWN AMD 16.03.10

CHECKED Bac. 16.03.10

APPR.

SCALE

-

SIZE

A3

REL. PHASE

P

Prof/ENGINEER

MATERIAL

-

DRAWING-NO.

83715

PAGE

1 from 1

Rev. A

Rev.

A

REV.	DRAWN	CHECKED	DATE	MODIFICATION
A	AMD	Bac.	16.03.10	ORIGINAL ISSUE

The reproduction, distribution and utilization of this document as well as the communication of its contents to others without explicit authorization is prohibited. Offenders will be held liable for the damages. All rights reserved in the event of the grant of a patent, utility model or design.